# GOVERNMENT OF INDIA
# URBAN DEVELOPMENT AND POVERTY ALLEVATION
# LOK SABHA

UNSTARRED QUESTION NO:1116
ANSWERED ON:25.02.2003
ABSENCE OF PROPER DRAINAGE OF WATER FROM BALCONIES OF V.P.HOUSE
AVTAR SINGH BHADANA

**Will the Minister of URBAN DEVELOPMENT AND POVERTY ALLEVATION be pleased to state:**

(a) whether in the absence of proper drainage of water from the balconies of V.P. House the Members of Parliament/other allottees living from Ground floor to fourth floor houses are facing problems;

(b) if so, whether the Government have held talks with the residents to solve this problem so that proper arrangement of drainage is made;

(c) if so, the details thereof;

(d) whether the Government propose to drain the water from balconies through pipe line so that water from balconies i s drained directly into sewer line; and

(e) if so, the time by which this problem is likely to be solved?

## Answer

MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT & POVERTY ALLEVIATION ( SHRI PON RADHAKR )

(a): No, Sir. Adequate arrangement for drainage of rain water from the balconies in V.P. House in the form of rain water spouts exists.

(b)&(c): The detailed position has been explained by CPWD officials to residents.

(d): No, Sir. It i s neither technically advisable nor permissible as per Municipal bye-laws since rain water cannot be discharged in sewer lines.

(e): Not applicable in views of (d) above.